

# Material Safety Data Sheet

## 1. Product and Company Identification

Product Name: **2P-10 Medium Cyanoacrylate Adhesive**  
Part Number: **2P-10 MEDIUM 2 OZ / 10 OZ**  
Revision Date: October 9, 2009  
Company Name: FastCap LLC  
3725 Irongate Rd.  
Bellingham, WA 98226

EMERGENCY PHONE: For Chemical Emergency  
Spill Leak Fire Exposure or Accident only  
Call CHEMTREC Day or Night

DOMESTIC NORTH AMERICA 800-424-9300  
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

For all other questions or technical issues call, 888-443-3748

## 2. Composition, Information and Ingredients

Ingredients	CAS NO.	%
Ethyl Cyanoacrylate ester	Proprietary	90-95
HYDROQUINONE	123-31-9	0.1-1

Ingredients, which have exposure limits

Exposure Limits: Ingredients	(TWA) ACGIH (TLV)	OSHA (PEL)	OTHER
Ethyl Cyanoacrylate	None	None	0.2 ppm TWA
HYDROQUINONE	2mg/m3 TWA	2 mg/m3 TWA	2 mg/m3 TWA 4 mg/m3 STEL

## 3. Hazards Identification

Toxicity: Skin contact may cause burns, Bonds skin rapidly and strongly  
Skin and eye irritant

Primary Routes of Entry: None Known

Signs and Symptoms

Of Exposure: Vapor is irritating to eyes and mucous membranes above TLV.  
Exposure to vapors above the established limits may cause  
Symptoms of non-allergic asthma.

Existing Conditions

Aggravated by Exposure: None Known

Ingredients	Literature Referenced Target organ and other Health Effects	Carcinogen		
		NTP	IARC	OSHA
Cyanoacrylate ester	ALG IRR	NO	NO	NO
Poly (methyl methacrylate)	IRR	NO	N/A	NO
Cyanoacetate	NTO	NO	NO	NO

HYDROQUINONE BLO BNM CNS IMM IRR LIV MUT NO N/A NO  
SKI THY

## Abbreviations

N/A Not Applicable	ALG Allergen
BLO Blood	BNM Bone Marrow
CNS Central nervous system	EYE eyes
IMM Immune System	IRR Irritant
LIV Liver	MUT Mutagen
NTO No Target Organs	SKI Skin
THY Thyroid	

## 4. First Aid Measures

Ingestion:	Ingestion is not likely. See supplemental page for emergency procedures
Inhalation:	Remove to fresh air. If symptoms persist, obtain medical attention.
Skin Contact:	Soak in warm water. See supplemental page for emergency procedures.
Eye Contact:	Flush with water. See supplemental page for emergency procedures.

## 5. Flammability and Explosive Properties

Flash Point:	160 -200° F	Method: Tag Closed Cup
Estimated NFPA Code:		
Health Hazard:	2	
Fire Hazard:	2	
Reactivity Hazard:	2	
Specific Hazard:	No Water	
Estimated HMIS Code:		
Health Hazard:	2	
Flammability Hazard:	2	
Reactivity Hazard:	2	
Personal Protection:	See Section 8	
Recommended		
Extinguishing Agents:	Carbon dioxide, foam, dry chemical	
Special Firefighting		
Procedures:	Not Available	
Hazardous Products Formed		
By fire or thermal, decomp	Irritating Organic vapors	
Unusual fire or explosion Hazards	None	
Explosive Limits:		
(% by volume in air) Lower	Not Available	
(% by volume in air) Upper	Not Available	

## 6. Accidental Release Measures

Steps to be taken in case of spill or leak: Flood with water to polymerize. Soak up with an inert absorbent.

## 7. Handling Controls, Personal Protection

Safe Storage:	Store below 75° F
Handling:	Avoid skin or eye contact. Avoid breathing vapor.

## 8. Exposure Controls, Personal Protection

Eyes:	Safety glasses or goggles
Skin:	Nitrile or polyethylene gloves and aprons
	Do not use cotton
Ventilation:	Local ventilation may be desirable when using large amounts in a confined area.
Respiratory:	Not Available

See section 2 for Exposure Limits



## 15. Regulatory Information

CA Proposition 65: No California Proposition 65 chemicals are known to be present.

## 16. Other Information

Estimated NFPA(R) Code:

Health Hazard:	2
Fire Hazard:	2
Reactivity Hazard:	1
Specific Hazard:	Does not apply

Estimated HMIS (R) Code:

Health Hazard:	2
Flammability Hazard:	2

Reactivity Hazards:	1
Personal Protection:	See Section 8

NFPA is a registered trademark of the National Fire Protection Assn.

HMIS is a registered trademark of the National Paint and Coatings Assn.

### DISCLAIMER:

The information contained within this MSDS applies only to the FastCap product to which the sheet relates. The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either express or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purpose other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way.

They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.